

DERMISIL® I TOPICAL IMPETIGO TREATMENT

Wash affected area with soap and water.

Always Patch Test an Area Before Starting Full Treatment Regiment

Wash and dry the affected area completely.

Apply Dermisil® I liquid to the affected areas with a clean cotton ball or q-tip.

Apply 3 times or more times per day. The Impetigo should start to heal within 3-7 days depending on the level of infection. It may take longer in severe cases to completely heal. You may use the product anytime you have an Impetigo outbreak. You may soak a cotton ball with Dermisil I and tape it to the impetigo overnight. This can speed healing of the lesions.

The damage left behind from Impetigo should subside over several days to several weeks, depending on the level of outbreak.

It is normal for high levels of infection for it to take several weeks for the infection to completely heal. In severe cases you may soak a cotton ball in the treatment and tape it to the lesion at night. This will allow the extracts to penetrate deeply into the impetigo bacteria and stop it at the source of the infection.

Impetigo is extremely contagious and will not go away on it's own. Limit contact with others while being treated and used excellent hygiene and washing habits washing bedding and clothing daily.

If you're Impetigo gets worse discontinue use of the product as soon as possible and seek medical attention for a more serious problem.

Note: Active ingredients in DERMISIL® I are: *German chamomile, lavender, melaleuca alternifolia, and other anti-bacterial plant extracts.*

Always test on infants and children before full use. NEVER apply Dermisil® I liquid to mucous membranes or to the eyes. NEVER ingest or drink Dermisil® I liquid. If Dermisil® I is ingested immediately phone the Poison Control Center.